



*PROGRESSIVE*

**April 30 - May 3, 2026**

**Washington State Fair Event Center – Puyallup, WA**  
**[puyalluprvshow.com](http://puyalluprvshow.com)**

# **EXHIBITORS MANUAL**

**Briefly written to advise you of your rights, restrictions and requirements.  
Please read carefully and save for future reference.**

# 2026 PUYALLUP RV SHOW

## RULES & REGULATIONS

### CONTRACTS

Your exhibitor credentials will not be given out until we have received the following:

**☐ Signed Contract ☐ Signed Fire Marshal Form ☐ Full Payment ☐ Product List ☐ COI**

Unpaid spaces will be resold.

### SHOW OFFICE

The show office is located on the first floor of the Fairview Club (aka State Patrol Building) in the first aid room. It will be open starting 9:00 am Tuesday, April 28<sup>th</sup> and during show hours.

### BOOTH INFORMATION

- > Move-in Wednesday, April 29<sup>th</sup> starting at 8:00 am through Orange Gate (NO Thursday set up allowed)
- > Blue and White fabric booth (8ft back 3ft sides)
- > Only approved multi-plug extension cords with breakers allowed in booths. Please see attached fire marshal info on page 6.
- > Booths must be vacated by noon May 6<sup>th</sup>, Monday

### RV INFORMATION

- > Prestaging - Sunday, April 26<sup>th</sup> at 10:00 am to 4:00 pm and Monday April 27<sup>th</sup> at 8:00 am to 6:00 pm in the Purple Lot **LIMITED POWER WASHING IS ONLY ALLOWED BEHIND THE BEEF BARN ON THE FAIRGROUNDS.**
- > Move-in - Tuesday, April 28<sup>th</sup> starting at 8:00 am
- > Orange gate hours during move-in will be 8:00 am to 6:00 pm. (you may exit after 6:00 pm but not re-enter)
- > Used RVs must be 2019 or newer (previously titled to a private party). No exhibiting of rental or lease back RVs.
- > Power/Electrical is supplied by the Fairgrounds
- > You will need to obtain a permit from the State of Washington L & I Electrical inspection department if you intend to connect to electricity at the grounds and will be using your own electrical distribution system (feeder panel). (This does not apply to vendors that are plugging into a Fair provided receptacle with an approved extension cord or multi-strip adapter.) <https://lni.wa.gov/licensing-permits/electrical/electrical-permits-fees-and-inspections/purchase-permits-request-inspections>
- > RVs must be removed from buildings by noon Monday, May 6<sup>th</sup>
- > Service gate hours for take down (until 9:00 pm Sun 5/3, 8:00 am - 4:30 pm Mon 5/4) RVs left after 4:00 pm Monday, May 4<sup>th</sup> anywhere inside the fairground property are subject to a \$50/day storage charge.

### MANUFACTURED HOME AND PARK MODEL INFORMATION

- > Move-in Wednesday, April 22<sup>nd</sup> starting at Noon, exact move in schedule to follow closer to show dates
- > Gate schedule on enclosed sheet
- > Clean up around exterior of the homes prior to 4:00 pm Thursday. There are other functions going on Friday, Saturday & Sunday. Please limit any work on the weekend to the interior of homes only and keep noise levels to a minimum.

> 50 amp outlet supplied by the Fairgrounds. Home must have 50 amp cord and plug installed by exhibitor.

> You will need to obtain a permit from the State of Washington L & I Electrical inspection department if you intend to connect to electricity at the grounds and will be using your own electrical distribution system (feeder panel). (This does not apply to vendors that are plugging into a Fair provided receptacle with an approved extension cord or multi-strip adapter.) <https://lni.wa.gov/licensing-permits/electrical/electrical-permits-fees-and-inspections/purchase-permits-request-inspections>

> Manufactured Homes must be removed from fairground property by Noon Tuesday, May 7<sup>th</sup>. (The fair will charge \$375/day/section for any home left inside the fairgrounds after this time)

## SHOW HOURS

Thursday, April 30<sup>th</sup> - Saturday, May 2<sup>nd</sup> 10 am to 7 pm

Sunday, May 3<sup>rd</sup>, 10 am to 5 pm

Note: All exhibitors need to be ready before opening time and remain open until closing time.

## GATE HOURS:

Set up days: Tuesday, April 28<sup>th</sup> & Wednesday, April 29<sup>th</sup> 8:00 am - 6:00 pm (Orange Gate)

Show days: Blue Gate will be staffed 1 hour before show opening.

## TICKET PRICES

Adults \$16.00, Seniors/Valid Military w/ID \$14.00, Students/Children 17 & under Free with accompanying adult. Sponsor "Be-Back" tickets are available to all exhibitors for \$1.00 each at the show office. Tickets are good any day of the show.

## EXHIBITOR PASSES

Exhibitor passes are available in the show office. Passes are required to enter the fairgrounds during the show, but not during set up. MHRV reserves the right to limit the number of passes to each exhibitor.

**Will Call** will be located at the Blue Gate and open 1 hour before show opening.

## PARKING

Parking is free in the blue and gold parking lots located on the east side of Meridian Ave.

**\*\*DO NOT leave valuables in vehicles\*\***

Overnight RV parking is allowed in the orange parking lot (full hook ups) off 5th street on the West side of the Fairgrounds. Overnight stays can be purchased in the Fair Administration Office. Cost is \$40.00/night if you are pre-registered or \$45.00/night if you show up without pre-registering. Call (253) 845-1771 to book a space. RV user's animals must be kept on a leash or in a pen near the applicable RV.

## WI-FI

The Fairground offers open Wi-Fi access but doesn't provide technical support. The Wi-Fi is free to use and no password is required. For access please go into your WI-FI settings and select "Fair Guest". Make sure you wait and select "Accept Terms" when prompted.

## DECORATING

See attached decorator order form.

(NO orders accepted within 24 hours of show)

## PHONE NUMBERS

Show Office (253) 841- 5298

Bill O'Loughlin, Show Director (503) 308-3583 cell or Susie O'Brien Borer (503) 567-8885 cell.

## DIRECT SHIPMENTS **April 27<sup>th</sup> to April 29<sup>th</sup> Only**

Shipments will be received at The Washington State Fair Events Center from 8:00 am to 4:00 pm Monday, April 27<sup>th</sup> to Wednesday, April 29<sup>th</sup> Shipments **MUST** be addressed as follows:

Exhibitor Name

Booth Number and Building

Puyallup RV Show

C/O Washington State Fair & Event Center

1404 5th St SW

Puyallup, WA 98371

Any shipments received at the Fairgrounds before Monday, April 27<sup>th</sup> will be charged \$115 per hour, with a 1 hour minimum, for the Fairgrounds accepting and handling/off-loading your materials. In addition there will be a \$50 per day per pallet charge for storage until the show.

## TAX NUMBERS

MHRV Show Association, Inc. is a Washington State Corporation. Federal Tax ID #91-0821143

## RV DISPLAY AISLES

Aisles through RV displays are required to be 6ft wide. Steps are allowed to encroach into aisles 2ft. Under no circumstances will aisles be allowed to be restricted to less than 4ft in width by steps. The biggest problem in past shows has been from opposing steps on both sides of the aisle. The Puyallup Fire Dept. has final say over all aisle widths.

## SIGNS, LITERATURE & SOUND

Exhibitors are allowed to distribute literature only in their own exhibit area. Persons not exhibiting are forbidden to distribute literature in the show. All are encouraged to use good taste in the use of signs. Comparison price signs are frowned upon and in all cases, management reserves the right to remove all objectionable advertising materials. Noise level from any demonstrations or sound systems **must be kept to a minimum**. Under **no** circumstance will the following be allowed in the Show: megaphones, loud speakers, microphones, side show tactics, or undignified methods of attracting attention. All sound systems and demonstrations **must** be strictly approved by Show Management prior to the shows. **No exceptions!!!**

## SHOW LOGO + PROMOTION

Advertising and use of the MHRV Show logo by participating exhibitors is encouraged. Check the website and social media for the latest materials. For terms and conditions of logo use, please contact the Show Director.

## MUSIC

Exhibitors are forbidden from playing music in any form unless they possess the required license of copyrighted music. Exhibitors agree to defend, protect, indemnify and hold harmless the MHRV Show Association from any claims, disputes or legal expenses resulting from performance of copyrighted music either recorded or performed live.

## CONTESTS

MHRV Show Association requires all Exhibitors register the details of any contest or giveaway with the Show Office prior to Show Opening. The winners of each contest must be reported to the Show Office.

## ANIMALS

With the exception of animal events and documented service animals, animals will not be allowed on the grounds during set up, the show and tear down.

## STORM DRAINS AND POLLUTION

Per the Washington State Fairgrounds, no dumping of contaminated water (mop water, bleach water, greasy water, old coffee, ice or grease) in the fair's storm drains. Pressure washing is **NOT** allowed on the grounds. Disposal of waste water is to be in designated dump sites only. Failure to do so will result in a \$1,000 fine. Do not dump water in flowerbeds or on the ground.

## GENERAL

Remember to be properly licensed for the show by displaying a valid Dealer Sub agency and being registered with local tax authorities. A certificate of insurance is required from all exhibitors and a copy was supplied with your contract. Food handlers must have necessary permits and permission of the facility. These rules and recommendations are to protect, not only the public, but the individual exhibitor and the Industry which we represent. Thank you for your courtesy and cooperation.

## SHOW CANCELLATION INSURANCE FOR EXHIBITORS

The MHRV Show Association carries show cancellation insurance which protects the association and its exhibitors. In the event the show is canceled or curtailed due to weather, fire, earthquake or other events beyond the control of MHRV, exhibitors are likely to receive a portion of their space rent reimbursed. However, the insurance does not cover lost sales to our exhibitors due to lessened show attendance. If you wish to purchase show cancellation insurance that protects your business against lost sales, please contact your insurance carrier for desired coverage.

## LODGING

Best Western Park Plaza  
620 S. Hill Park Pl.  
Puyallup, WA 98373  
253-848-1500

Farifield Inn & Suites  
2101 N. Meridian  
Puyallup, WA 98371  
253-770-3100

Hampton Inn & Suites Tacoma/Puyallup  
1515 S. Meridian St.  
Puyallup, WA 98371  
253-770-8880

Holiday Inn Express  
812 Hill Park Dr.  
Puyallup WA 98373  
253-848-4900

## STATE AND FIRE DEPARTMENT REGULATIONS

Only approved multi-plug extension cords with breaker will be allowed in the booth areas.

RV & Manufactured Home connections will be supplied. Manufactured homes must have a 50 amp plug.

Display vehicles shall have less than 5 gallons of fuel, fuel fills taped or locked, positive lead of the start battery removed and taped. Ten percent valves on LP bottles must be opened. Previously filled bottles must be removed.

Washington State Law prohibits smoking in public places. No vaping in buildings.



**CENTRAL PIERCE FIRE & RESCUE  
PREVENTION BUREAU  
902 7<sup>TH</sup> STREET NW  
PUYALLUP, WA 98371  
253.538.6402**



## **REQUIREMENTS FOR EVENTS AND TEMPORARY STANDS AT FAIRS AND SHOWS**

### **SCOPE/INTENT:**

To publicize the requirements and provide a standard method of inspection of temporary stands at fairs, shows, carnivals, events and other occupancies which are not permanent in nature or whose use is temporary or seasonal.

### **RESPONSIBILITIES:**

It is the responsibility of the Fire Marshal or his/her designated authority to ascertain if the requirements of this policy are being complied with, and to enforce these and any other laws and codes of the City of Puyallup, pertaining to **fire and life safety**, as may be necessary.

### **PROCEDURES:**

Temporary stands inside the Western Washington Fair are covered by a master business license, issued to the Fair. Temporary stands, located anywhere in the City, outside the property of the Western Washington Fair, must apply for an Operational Permit from the Fire Department.

**Applications shall be accompanied by site plans, information related to required permits, or any other information deemed necessary to ascertain all stands are in compliance with the 2018 International Fire Code. Any license, either Master or Individual, do not cover permits required by the International Fire Code.**

An inspection shall be conducted to determine if the occupancy or operation meets code requirements. The inspection shall ascertain if the requirements of Appendix A, B, and C have been met in addition to any other laws or codes which may apply to the particular application request.

When code requirements have been met, the Deputy Fire Marshal may issue the required permit, which shall be posted at the occupancy or operation.

## **TEMPORARY USE OCCUPANCIES OR OPERATIONS FIRE AND LIFE SAFETY REQUIREMENTS (Not including electrical)**

Any temporary use occupancy, business or operation that fails to comply with the International Fire Code requirements listed here will be **SUBJECT TO IMMEDIATE CLOSURE** until compliance is made. If the particular International Fire Code requirement is not listed here, a reasonable time may be given to comply, unless violation is an immediate life threatening situation as determined by the Fire Marshal or his/her designee.

In order to protect life and property, prevent fires and comply with local fire codes, the following is imposed:

### **"PERMITS ARE REQUIRED" for the following activities:**

#### **TO OPERATE PLACES OF ASSEMBLY**

An assembly is, among other things, the use of a building or structure, or portion thereof, for the gathering of persons for purposes such as civic, social or religious functions; recreation, food, or drink consumption; or awaiting transportation.

IFC

- 1. TO OPERATE CARNIVALS OR FAIRS**
- 2. TO OPERATE EXHIBITS AND TRADE SHOWS**
- 3. TO ERECT AND/ OR OPERATE A TENT, CANOPY, or MEMBRANE STRUCTURE:**
- 4. Temporary Membrane Structures, Stage Canopies, or a tent having an area in excess of 400 square feet.**
- 5. TO USE OPEN FLAME DEVICES:**
- 6. Use of any open flame devices, i.e., torches, candles, glass blowing, forges, stoves, lanterns, heaters, barbecues and all open flame cooking operations, etc; will require approval of the Fire Marshal or his/her designee**
- 7. TO USE/STORE FLAMMABLE AND COMBUSTIBLE LIQUIDS:**
- 8. To store, handle or use Class 1 liquids in excess of 5 gallons in a building or in excess of 10 gallons outside of a building**

**APPENDIX A**  
**ADDITIONAL REQUIREMENTS**  
**(Fire Marshal Approval is required for all activities listed)**

**COMMERCIAL FOOD PREPARATION**

The commercial preparation of food, either in temporary or permanent locations, shall be conducted in accordance with the International Mechanical Code (IMC) and the International Fire Code (IFC). Ventilating hood and duct systems will be IMC Type I or Type II, depending on the food products being prepared.

**IFC Section 607**

**NATURAL GAS USE**

Natural gas is allowed to be used for fuel for heating and cooking. Approval from the local gas purveyor and Fire Marshal is required. A flex gas (CSST) line shall be used to connect to the meter. This line is limited to 4 feet in length. Flex gas (CSST) line is not allowed along the ground or suspended in air. Gas piping shall be supported at a maximum of every 6 feet. It shall be protected in traffic areas from displacement. Gas piping shall be tested on site and approved by the building division. A flex gas (CSST) line may be used as a final connection from the appliance to the gas piping. The length of this flex line shall not exceed 6 feet. Each supply of gas shall have its own shut-off. The gas meter may be used for the shut off if a permanently attached handle is available for use. Each appliance shall have a shut-off located in an accessible location.

**SMOKING PROHIBITED**

The smoking or carrying of a lighted pipe, cigar, cigarette or any other type of smoking paraphernalia or material is prohibited.

**IFC SECTION 310**

**OPEN FLAME COOKING DEVICES**

Charcoal burners and other open-flame cooking devices shall not be operated on combustible balconies or within 10 feet of combustible construction.

**IFC 308.1.4**

Hot ashes, cinders, smoldering coals or greasy or oily materials subject to spontaneous ignition shall not be deposited in a combustible receptacle, within 10 feet of other combustible material including combustible walls and partitions or within 2 feet of openings to buildings.

**IFC 305.2**

**FIRE LANES, HYDRANTS, AND FIRE PROTECTION EQUIPMENT**

Fire lanes shall be maintained to a minimum unobstructed width of 20 feet. Overhangs or other like material shall not obstruct the vertical clearance of a fire lane less than a minimum of 13 feet 6 inches.

**IFC 503.2.1**

Unobstructed access to fire hydrants shall be maintained at all times. The fire department shall not be hindered from gaining immediate access to fire protection equipment.

**IFC 507.5.4**

A 3' clear space shall be maintained around the circumference of fire hydrants.

**IFC 507.5.5**

## APPENDIX A continued

### **OBSTRUCTION OF FIRE SAFETY SYSTEMS:**

Exit doors, aisles, exit ways, exit lights, stairways, hose cabinets, fire extinguishers, fire hydrants or any other fire suppression appliances shall not be concealed or obstructed by any decorative material, displays, fixtures, structures or demonstration equipment.

**IFC 509.2 and IFC 1003.6**

### **DUMPSTERS:**

Commercial dumpsters and containers with an individual capacity of 1.5 cubic yards or greater shall not be stored or placed within 5' of combustible walls, openings or combustible roof eave lines.

**IFC 304.3.3**

### **COMPRESSED GAS CYLINDERS**

**Securing compressed gas containers, cylinders and tanks.** Compressed gas containers, cylinders and tanks shall be secured to prevent falling caused by contact, vibration or seismic activity. Securing of compressed gas containers, cylinders and tanks shall be by one of the following methods:

Securing containers, cylinders and tanks to a fixed object with one or more restraints.

Securing containers, cylinders and tanks on a cart or other mobile device designed for the movement of compressed gas containers, cylinders or tanks.

**IFC 5303.5.3**

### **COMBUSTIBLE WASTE**

Waste accumulation prohibited. Combustible waste material creating a fire hazard shall not be allowed to accumulate in buildings or structures or upon premises.

**IFC 304.1**

### **EQUIPMENT CONFINED**

All equipment, mechanical or otherwise, shall be installed, maintained and secured within the confines of the stand, i.e., refrigerators, freezers, cookers, etc.

### **LIQUID AND GAS FUELED VEHICLES AND EQUIPMENT**

**Vehicles.** Liquid- or gas-fueled vehicles, boats or other motor craft shall not be located indoors except as follows:

**Batteries are disconnected. (Except where required to remain connected to maintain safety systems.)**

**Fuel in fuel tanks does not exceed one-quarter tank or 5 gallons (19 L) (whichever is least).**

**Fuel tanks and fill openings are closed and sealed to prevent tampering.**

**Vehicles, boats or other motor craft equipment are not fueled or defueled within the building.**

**IFC 314.4**

**FAILURE TO COMPLY WITH ANY OF THE ABOVE REQUIREMENTS OR ANY OTHER REQUIREMENTS OF THE PUYALLUP MUNICIPAL CODE CONSTITUTES CAUSE FOR APPROPRIATE LEGAL ACTION.**

## APPENDIX B

### ELECTRICAL EQUIPMENT AND WIRING

#### ABATEMENT OF ELECTRICAL HAZARDS

Electrical wiring, devices, appliances and other equipment which are modified or damaged and constitute an electrical shock or fire hazard shall not be used.

##### IFC 604.1

#### WORKING SPACE AND CLEARANCE

A working space of not less than 30 inches (762 mm) in width, 36 inches (914mm) in depth and 78 inches (1981 mm) in height shall be provided in front of electrical service equipment.

##### IFC 604.3

#### MULTIPLUG ADAPTERS

Multiplug adapters, such as cube adapters, unfused plug strips or any other device not complying with NFPA 70 shall be prohibited. **IFC 604.4**

**Power tap design.** Relocatable power taps shall be of the polarized or grounded type, equipped with overcurrent protection, and shall be listed in accordance with UL 1363

##### IFC 604.4.1.

**Power supply.** Relocatable power taps shall be directly connected to a permanently installed receptacle.

##### IFC 604.4.2

**Installation.** Relocatable power tap cords shall not extend through walls, ceilings, floors, under doors or floor coverings, or be subject to environmental or physical damage.

##### IFC 604.4.3

#### EXTENSION CORDS

Extension cords and flexible cords shall not be a substitute for permanent wiring. Extension cords and flexible cords shall not be affixed to structures, extended through walls, ceilings or floors, or under doors or floor coverings, nor shall such cords be subject to environmental damage or physical impact. Extension cords shall be used only with portable appliances.

**Extension cords marked for indoor use shall not be used outdoors.**

##### IFC 604.5

**Power supply.** Extension cords shall be plugged directly into an approved receptacle, power tap or multi-plug adapter and, except for approved multi-plug extension cords, shall serve only one portable appliance.

##### IFC 604.5.1

**Ampacity.** The ampacity of the extension cords shall be not less than the rated capacity of the portable appliance supplied by the cord.

##### IFC 604.5.2

**Maintenance.** Extension cords shall be maintained in good condition without splices, deterioration or damage.

##### IFC 604.5.3

**Grounding.** Extension cords shall be grounded where serving grounded portable appliances.

##### IFC 604.5.4

#### PORTABLE ELECTRIC SPACE HEATERS

**Listed and labeled.** Only listed and labeled portable, electric space heaters shall be used.

##### IFC 604.10.1

## **APPENDIX B** continued

**Power supply.** Portable, electric space heaters shall be plugged directly into an approved receptacle.

### **IFC 604.10.2**

**Extension cords.** Portable, electric space heaters shall not be plugged into extension cords.

### **IFC 604.10.3**

**Prohibited areas.** Portable, electric space heaters shall not be operated within 3 feet (914 mm) of any combustible materials. Portable, electric space heaters shall be operated only in locations for which they are listed.

### **IFC 604.10.4**

## **USE OF TEMPORARY WIRING**

Temporary wiring for electrical power and lighting installations is allowed for a period not to exceed 90 days.

### **IFC 604.9**

## **VIOLATIONS NOTIFICATION:**

NON-APPROVED, MULTI-PLUG ADAPTERS, EXTENSION CORDS AND OTHER ITEMS THAT ARE BEING USED ILLEGALLY WILL BE DISCONNECTED AND GIVEN TO THE OWNER OR OPERATOR TO BE REMOVED FROM THE AREA. IF THE OWNER OR OPERATOR IS NOT PRESENT WHEN THE VIOLATION IS FOUND, THE ITEM OR ITEMS MAY BE DISCONNECTED, MARKED "NOT APPROVED" AND LEFT TO BE REMOVED.

**FAILURE TO COMPLY WITH ANY OF THE ABOVE REQUIREMENTS OR ANY OTHER REQUIREMENTS OF THE PUYALLUP MUNICIPAL CODE CONSTITUTES CAUSE FOR APPROPRIATE LEGAL ACTION.**

## APPENDIX C

### TENTS, TEMPORARY SPECIAL EVENTS STRUCTURES & OTHER MEMBRANE STRUCTURES

Tents, canopies and temporary membrane structures shall comply with **IFC Section 31** and Appendix C of these requirements. (Note: Temporary, site-constructed, wood structures, shall comply with standards listed in Appendix C).

**Flame propagation and performance treatment.** Before a permit is granted, the owner or agent shall file with the fire code official a certificate executed by an approved testing laboratory certifying that the tents and membrane structures and their appurtenances; sidewalls, drops and tarp lines; floor coverings, bunting, and combustible decorative materials and effects, including sawdust where used on floors or passageways, are composed of material meeting the flame propagation performance criteria.....

#### **IFC 3107.2**

**Label.** Membrane structures or tents shall have a permanently affixed label bearing the identification of size and fabric or material type.

#### **IFC 3107.2**

**Combustible Materials.** Hay, straw, shavings or similar combustible materials shall not be located within any tent or membrane structure containing an assembly occupancy, except the materials necessary for the daily feeding and care of animals. Sawdust and shavings utilized for a public performance or exhibit shall not be prohibited provided the sawdust and shavings are kept damp.

#### **IFC 3107.3**

**Smoking.** Smoking shall not be permitted in tents or membrane structures. “**NO SMOKING**” signs posted.

#### **IFC 31047.4**

**Open or exposed flame.** Open flame or other devices emitting flame, fire, or heat or any flammable or combustible liquids, gas, charcoal or other cooking device or any other unapproved devices SHALL NOT BE PERMITTED INSIDE OR LOCATED WITHIN 20’ of the tent or membrane structures while open to the public unless approved by the fire code official.

#### **IFC 3107.8**

**Clearance.** There shall be a minimum clearance of at least 3’ between the fabric envelope and all contents located inside membrane structures.

#### **IFC 3104.11**

**Portable Fire Extinguishers.** An approved, minimum 2A-10 BC rated fire extinguisher, or larger, shall be available at each temporary stand in a conspicuous, unobstructed, and unobscured location. Extinguishers shall serve for only one stand.

#### **IFC Section 906**

**Portable fire extinguishers for commercial cooking equipment.** Portable fire extinguishers shall be provided within a 30-foot (9144 mm) distance of travel from commercial-type cooking equipment. Cooking equipment involving solid fuels or vegetable or animal oils and fats shall be protected by a Class K rated portable extinguisher as applicable.

#### **IFC 906.4**

**Class K portable fire extinguishers for deep fat fryers.**

Where hazard areas include deep fat fryers, listed Class K portable fire extinguishers shall be provided as follows: For up to four fryers having a maximum cooking medium capacity of 80 pounds (36.3 kg) each: one Class K portable fire extinguisher of a minimum 1.5-gallon (6 L) capacity.

#### **IFC 906.4.2**

## APPENDIX C continued

### Heating and Cooking Equipment

**Installation.** Heating or cooking equipment, tanks, piping, hoses, fittings, valves, tubing and other related components shall be installed as specified in Chapter 61 of the *International Mechanical Code* and the *International Fuel Gas Code*, and shall be approved by the fire code official.

#### IFC 3107.12.1

**Venting.** Gas, liquid and solid fuel-burning equipment designed to be vented shall be vented to the outside air as specified in the International Fuel Gas Code and the international Mechanical Code. Such vents shall be equipped with approved spark arresters where required. Where vents or flues are used, all portions of the tent or membrane structure shall be not less than 12 inches (305mm) from the flue or vent.

#### IFC 3107.12.2

**Location.** Cooking and heating equipment shall not be located within 10 feet (3048 mm) of *exits* or combustible materials.

#### IFC 3107.12.3.3

**Operations.** Operations such as warming of foods, cooking demonstrations and similar operations that use solid flammables, butane or other similar devices that do not pose an ignition hazard, shall be *approved*.

#### IFC 3107.12.4

### COOKING TENTS

Tents with sidewalls or drops where cooking is performed shall be separated from other tents or membrane structures by not less than 20 feet

#### IFC 3107.12.5

### OUTDOOR COOKING

That produces sparks or grease-laden vapors or flying embers shall not be performed within 20 feet (6096 mm) of a tent or membrane structure.

#### IFC 3107.12.6

### ELECTRICAL HEATING AND COOKING EQUIPMENT

Electrical cooking and heating equipment shall comply with NFPA 70.

#### IFC 3107.12.7

### LP-GAS

**Location of containers.** LP-gas containers shall be located outside. Safety release valves shall be pointed away from the tent or membrane structure.

#### IFC 3107.13.2

**Containers 125 gallons or less.** Portable LP-gas containers with a capacity of 500 gallons (1893L) or less shall have a minimum separation between the container and structure not less than 5 feet

#### IFC Table 6104.3

**Protection and security.** Portable LP-gas containers, piping, valves and fittings that are located outside and are being used to fuel equipment inside a tent or membrane structure shall be adequately protected to prevent tampering, damage by vehicles or other hazards and shall be located in an *approved* location. Portable LP-gas containers shall be securely fastened in place to prevent unauthorized movement.

#### IFC 3107.13.3

## APPENDIX C continued

### FLAMMABLE AND COMBUSTIBLE LIQUIDS

**Use.** Flammable-liquid-fueled equipment shall not be used in tents or membrane structures.

#### **IFC 3107.14.1**

**Flammable and combustible liquid storage.** Flammable and combustible liquids shall be stored outside in an approved manner not less than 50 feet (15 240 mm) from tents or membrane structures. Storage shall be in accordance with Chapter 57.

#### **IFC 3107.14.2**

**Refueling.** Refueling shall be performed in an approved location not less than 20 feet (6096 mm) from tents or membrane structures

#### **IFC 3107.14.3**

**Separation of generators.** Generators and other internal combustion power sources shall be separated from tents or membrane structures by not less than 20 feet (6096 mm) and shall be isolated from contact with the public by fencing, enclosure or other approved means.

#### **IFC 3107.16**